

Approval Certificate



This is to certify, that the undernoted products have been approved in accordance with the relevant requirements of the GL Approval System.

Certificate No. 98 949 - 97 HH

Company Rich. Klinger Dichtungstechnik GmbH & Co. KG

Am Kanal 8-10
2352 Gumpoldskirchen, AUSTRIA

Product FLAT GASKETS - ASBESTOS FREE

Type KLINGERTop-chem-2000

Technical Data /
Application

TECHNICAL DATA

Type	KLINGERTop-chem-2000
Density	2.5 [g/cm ³]
Compressibility	2% { ASTM F 36 J }
Recovery	=/ > 55% { ASTM F 36 J }
Tightness	0.5 [ml/min] { DIN 3535-6 }
Klinger cold / hot compression, 50 MPa	thickness decrease at 23 [°C]: 2% thickness decrease at 250 [°C]: 5%

RANGE OF APPLICATION

The gaskets may be used under consideration of the mechanical and physical properties as well as the chemical resistance as follows:

- Ship's piping systems including cargo lines on Chemical and Gas Tankers carrying propylene oxide and mixtures of ethylene / propylene oxide.
- Maximum allowable working pressure and temperature according to the specification of the manufacturer.

Approval Standard • ASTM and DIN

Documents • Test Reports
• Technical Data
• Audit Report

Remarks • PRODUCTION PLACES and REMARKS / LIMITATIONS see page 2.


Valid until 2018-11-20

File No. XI.B.03

Germanischer Lloyd

Hamburg, 2014-01-08


Olaf Drews


Peter Gierhan

Approval Certificate



Certificate No. 98 949 - 97 HH

PRODUCTION PLACES


Rich. Klinger Dichtungstechnik GmbH & Co. KG
Am Kanal 8-10
2352 Gumpoldskirchen
AUSTRIA

REMARKS / LIMITATIONS

The selection of the gaskets for the corresponding application and the appropriate installation is to be in acc. with the instructions of the manufacturer.

Germanischer Lloyd

Hamburg, 2014-01-08



Olaf Drews

i. A. P. Gierhan

Peter Gierhan